

Shot Blasting Systems

WALK-BEHIND MANUAL PUSH

Blastrac 1-8DEZ

Blastrac's 1-8DEZ is a highly portable, lightweight shot blasting system used to prepare concrete surfaces prior to the application of paint or coatings. Perfect for smaller jobs such as residential garage floors, pool decks, and small industrial floors, the 1-8DEZ runs on 120 volt power. Optimal blast-wheel RPM is achieved through a unique gear set in the motor. With a manual travel speed and 9 inch blast pattern, this small blast machine is also ideal for balconies, areas around equipment and obstructions, and other tight spaces.

The 1-8DEZ can prepare up to 250 sq. ft. per hour, as it strips, cleans and profiles in one easy step. There is no rinsing or drying time as with chemical acid etching, and the profile provides a better surface for coating adhesion. When attached to the BDC-1216 Blastrac dust collector, the 1-8DEZ operates virtually dust-free.

This versatile small machine is frequently used as a complementary unit for larger jobs, and can also be used in concrete applications such as overlays, and in preparation of concrete prior to wood floor installations.

Cost-effective and environmentally friendly, this affordable shot blaster is a labor and time-saving cleaning system for small to medium sized jobs.



Blastrac 1-8DEZ



Always wear appropriate eye, ear and respirator protection for the application, as specified by OSHA regulations and your employer. Never operate or maintain equipment before reading and understanding the instructions for operation and maintenance. Obey all safety signs and instructions while operating or maintaining equipment.

Blastrac 1-8DEZ

SPECIFICATIONS:

Blasting Width: 9 in. (229mm)
Travel Speed: Manual
Prod. Capacity: Up to 250 sq.ft./hr.
Motor: 3.35 hp
Amperage: 18A
Voltage: 120V, 1Ø, 50 or 60 Hz
Power Cord: 50 ft.
Dust Hose Connection: 2 in. (51mm)
Dimensions: L 45 in. (1143mm) x W 12.5 in. (318mm) x H 38 in.(965mm)
Weight: Net 123 lbs (56kg)

FEATURES & BENEFITS:

- Lightweight unit is easy to handle and transport
- Maneuvers smoothly with front caster-wheel design
- Operates on 120V, single phase, found on most job sites
- Simple design uses fewer moving parts, requires less maintenance
- Can blast within 1/2" of front wall and edges to within 3/4" when side magnet seals are removed
- Heavy-duty design with thicker liners for increased wearability
- Operates virtually dust-free when connected to BDC-1216

The Trusted Choice of Professionals for Over 30 Years

 **BLASTRAC**

800.256.3440 • blastrac.com



Products manufactured and marketed by Blastrac/Diamatic are protected by patents issued or pending in the United States and other countries. Blastrac/Diamatic reserves the right to change the specifications referred to in this literature at any time, without prior notice. Blastrac and Diamatic are registered trademarks owned by Blastrac, NA.

1030 11/09 © 2009 Blastrac, NA All rights reserved.