

Shot Blasting Systems

PORTABLE RIDE-ON

Blastrac GPX 10-18

The Blastrac® GPX 10-18 rider is a mid-size shot blaster that offers efficient operation and portability for medium to large surface-prep jobs. This mid-range system is well suited for manufacturing and warehouse floors, parking garages, bridges, highways, airport runways, and ship decks.

When amended micro texture is needed for overlays and coatings, or slip resistance with improved traction is desired for safety, the GPX 10-18 prepares the surface by stripping, cleaning and profiling simultaneously. It removes paint, rust, marine growth, and mill scale from steel, and the GPX 10-18 will also blast away paint and pavement markings from concrete for application of new overlays. An available blast-pattern adapter reduces the blast width for more efficient stripe removal.

The airborne debris and contaminants are collected in the onboard dust collection system, to enhance worker safety and to help protect the environment.

The GPX 10-18 is an exceptional, cost-effective and environmentally friendly choice for those medium to large shot blasting jobs where propane power is necessary or preferred.



Blastrac GPX 10-18LP

GPX 10-18LP

SPECIFICATIONS:

Cleaning Path: 10 in.
Prod. Capacity: Up to 1500 sq.ft./hr.
Travel Speed: Up to 200 ft./min.
Power: 25 hp Kohler engine
Drive: Hydrostatic transmission
Shot Valve: 12V DC
Seal Lift System: 12V DC
Ignition System: 12V DC
Fuel: Liquid propane
Fuel Tank: 33 lb cylinder
Dimensions: L 78 in. (1981mm) x W 34 in. (864mm) x H 57 in. (1449mm)
Weight: 1,550 lbs (703kg)

ON-BOARD DUST COLLECTOR:

System: Reverse-pulse cartridge cleaning
CFM: 1,400
Dust Capacity: Approx. total 3.5 cu. ft.
(trays only, 1.8 cu. ft.)
Cartridges: 6

FEATURES & BENEFITS:

- Patented paddle wheel technology
- Blast pattern accuracy and wide abrasive selection allows operator to achieve desired surface profile
- Surface is left dry and free of chemicals, dust and contaminants
- Drying time and costly disposal procedures are eliminated
- Labor and time-saving shot blasting process strips, cleans and profiles the surface simultaneously
- Sure profiles with excellent bonding characteristics are produced, reducing coating failures
- Easy to access twin dust trays for efficient debris removal and disposal

Always wear appropriate eye, ear and respirator protection for the application, as specified by OSHA regulations and your employer. Never operate or maintain equipment before reading and understanding the instructions for operation and maintenance. Obey all safety signs and instructions while operating or maintaining equipment.



Products manufactured and marketed by Blastrac/Diamatic are protected by patents issued or pending in the United States and other countries. Blastrac/Diamatic reserves the right to change the specifications referred to in this literature at any time, without prior notice. Blastrac and Diamatic are registered trademarks owned by Blastrac, NA.

 **BLASTRAC**
800.256.3440 • blastrac.com